



S P R O C K E T S

3/4" x 7/16"

for roller chains in compliance with DIN 8187 ISO/R 606



SPROCKET

mm

TOOTH RADIUS r_3	19
RADIUS WIDTH C	2
SPROCKET TOOTH WIDTH B_1	11.1
SPROCKET TOOTH WIDTH b_1	10.8
SPROCKET TOOTH WIDTH B_2	30.3
SPROCKET TOOTH WIDTH B_3	49.8

CHAIN

mm



PITCH	19.05
INTERNAL WIDTH	11.68
ROLLER - \varnothing	12.07

MATERIAL: C 45 UNI 7847

P L A T E W H E E L S

3/4" x 7/16"

for roller chains in compliance with DIN 8187 ISO/R 606



PLATEWHEEL

mm

TOOTH RADIUS r_3	19
RADIUS WIDTH C	2
PLATE TOOTH WIDTH B_1	11.1
PLATE TOOTH WIDTH b_1	10.8
PLATE TOOTH WIDTH B_2	30.3
PLATE TOOTH WIDTH B_3	49.8

CHAIN

mm

PITCH	19.05
INTERNAL WIDTH	11.68
ROLLER - \varnothing	12.07

Z	d_e	d_p	S D T			Z	d_e	d_p	S D T		
			D_1	D_2	D_3				D_1	D_2	D_3
8	57.6	49.78	12	12	16	44	276.5	267.04	25	25	25
9	62.0	55.70	12	12	16	45	282.5	273.10	25	25	25
10	69.0	61.64	12	12	16	46	287.9	279.16	25	25	25
11	75.0	67.61	14	16	20	47	294.0	285.21	25	25	25
12	81.5	73.61	14	16	20	48	300.1	291.27	25	25	25
13	87.5	79.59	14	16	20	49	306.2	297.33	25	25	25
14	93.6	85.61	14	16	20	50	312.3	303.39	25	25	25
15	99.8	91.63	14	16	20	51	318.4	309.45	25	25	25
16	105.5	97.65	14	20	20	52	324.5	315.50	25	25	25
17	111.5	103.67	14	20	20	53	330.5	321.56	25	25	25
18	118.0	109.71	14	20	20	54	336.6	327.64	25	25	25
19	124.2	115.75	14	20	20	55	342.7	333.70	25	25	25
20	129.7	121.78	14	20	20	56	348.7	339.75	25	25	30
21	136.0	127.82	16	20	20	57	355.4	345.81	25	25	30
22	141.8	133.86	16	20	20	58	361.5	351.87	25	25	30
23	149.0	139.90	16	20	20	59	367.5	357.93	25	25	30
24	153.9	145.94	16	20	20	60	373.0	363.99	25	25	30
25	160.0	152.00	16	20	20	62	385.1	376.12	25	30	30
26	165.9	158.04	16	20	20	64	397.2	388.24	25	30	30
27	172.3	164.09	16	20	20	65	403.2	394.29	25	30	30
28	178.0	170.13	16	20	20	66	409.3	400.35	30	30	30
29	184.1	176.19	16	20	20	68	421.4	412.49	30	30	30
30	190.5	182.25	16	20	20	70	433.6	424.60	30	30	30
31	196.3	188.31	20	20	25	72	447.0	436.74	30	30	30
32	203.3	194.36	20	20	25	75	463.9	454.91	30	30	30
33	209.2	200.40	20	20	25	76	469.9	460.99	30	30	30
34	214.6	206.46	20	20	25	78	482.1	473.10	30	30	30
35	221.0	212.52	20	20	25	80	494.2	485.22	30	30	30
36	226.8	218.58	20	25	25	85	524.5	515.55	30	30	30
37	232.9	224.64	20	25	25	90	554.8	545.86	30	30	30
38	239.0	230.69	20	25	25	95	585.1	576.17	30	30	30
39	245.1	236.75	20	25	25	100	615.4	606.47	30	30	30
40	251.3	242.81	20	25	25	110	676.1	667.11	30	30	30
41	257.3	248.87	25	25	25	114	700.6	691.36	30	30	30
42	264.5	254.93	25	25	25	120	736.7	727.74	30	30	30
43	270.5	260.98	25	25	25	125	767.0	758.05	30	30	30